



LB 6335
LA CHAPELLE SINGLE MARBLE CONSOLE
INSTALLATION GUIDE




LEFROY BROOKS

DIMENSIONS



Due to the dimensional tolerance of marble, all dimensions are approximate. Whilst every effort is made to ensure accuracy, design and dimensions are subject to change without notice as part of the company's continuous improvement process.

EXPLODED VIEW



CONTENTS LIST

Key	Description	Item number	Quantity
1	Console top	LB 6335 A	1
2	Leg	LLC 005	2
3	Location bracket	LSD 007	2
4	Console front	LB 6335 B	1
5	Console side – right	LB 6335 CR	1
6	Console side – left	LB 6335 CL	1
7	Leg fixing bracket	LSD 011	2
8	Threaded stud	LSD 012	4
9	Nut/wing nut & washer	LSD 013	4
10	Basin clip & screw	XX 250	4
11	Basin (Not included)	LB 7220	0


IMPORTANT INFORMATION

Preparation


- This product should be installed by a suitably qualified professional.
- A minimum of 3 people is recommended to complete the installation.
- Ensure that all horizontal surfaces are level and vertical surfaces are plumb.
- Ensure the wall and floor have sufficient load bearing capabilities to allow this product to be installed safely and securely.
- Take care when lifting and observe proper safety procedures.
- Wear protective boots and gloves.
- For safety and to prevent damage, the crate should be laid horizontally before unpacking.

Product Care

- Marble is fragile and can easily be damaged during transportation and installation.
- To avoid damage and injury, care should be taken when moving and installing the console/console components.




Always carry vertically



Always store vertically


INSTALLATION – STEPS 1 & 2



- 1 Make sure that the wall and floor are square and plumb. Offer the location brackets to the wall and mark the hole locations. Using a spirit level, check that the holes are plumb and level. Drill suitably sized holes for the required fixings.

NOTE:

Due to the tolerance of the marble, all dimensions are approximate.




- 2 Fix wall brackets to the wall using suitable wall plugs and screws.
We recommend the use of a wall batten.

IMPORTANT:


Ensure the batten does not obstruct the installation of plumbing.

INSTALLATION – STEPS 3 & 4




- 3 Prepare a clean and protective surface. Carefully place the console top face down onto the surface. Position and fix the basin to the underside of the console top using suitable mastic.

Ensure the basin is in line with the console top. Leave the assembly to set overnight before continuing.



- 4 Secure the basin in place using the clips and screws provided.




INSTALLATION – STEP 5



- 5 Prepare both legs by locating and screwing threaded studs into the holes on the back of the legs.

Attach leg fixing brackets, washers and nuts/wing nuts as shown in diagram.

INSTALLATION – STEPS 6 & 7





- 6 Whilst supporting one of the legs, assemble the appropriate side marble section by slotting the correct end into the corresponding wall bracket. Slot the other end into the corresponding section of the leg. Continue to support the leg until the next stage is completed.

- 7 Sufficiently tighten the nuts/wing nuts to support the assembled components.


NOTE:

Take care not to over-tighten the nuts/wing nuts as this may damage the marble.

INSTALLATION – STEPS 8 & 9






- 8** Slot the console front into the corresponding section of the first leg.



- 9** Secure the console front to the first leg, ensuring that the first two sections are held in place by the leg fixing brackets and nuts/wing nuts.




INSTALLATION – STEPS 10 & 11



10 Slot the opposite end of the console front into the remaining leg.

11 Secure the leg to the console front.


INSTALLATION – STEP 12 & 13



12 Locate the remaining console side into the remaining wall bracket. Locate the opposite end into the corresponding leg. Sufficiently tighten the nuts/wing nuts to support the assembled components.

13 Check the assembly with a spirit level. Make any adjustments that may be necessary.

INSTALLATION – STEP 14 & 15



- 14 Carefully lower and position the console top onto the batten and frame. Check with a spirit level.

NOTE:

For additional strength we recommend the use of an appropriate adhesive.

- 15 Complete installation.

IMPORTANT:

Any brassware should be installed by a qualified plumber.

SEALING AND CARING FOR MARBLE & GRANITE

- Marble/Granite is a natural material with a slightly porous structure and surface, even when polished. The porous structure means that the surface can be dulled or stained by various substances, including water, if it is left to soak. Always dry the surface after use to prevent water staining.
- If you choose to protect the surface we recommend using a trusted, specialist stone sealer to maintain your marble/granite. This should be applied at intervals recommended by the manufacturer.
- To clean your marble/granite we recommend a diluted neutral soap solution and colourless non-abrasive cloth. Use light pressure and never scrub the surface.
- Avoid the use of abrasive products such as scourers that can scratch the surface.
- Never use bleach, baking soda, hydrogen peroxide or vinegar to clean marble/granite.
- If something is spilt onto the surface, especially if it contains alcohol or is acidic, tend to it straight away. Never allow it to soak.
- Never leave bottles, glasses or other containers on the surface. We recommend the use of coasters or trivets instead.



CONTRACT ENQUIRIES

+44 (0)1992 708 316

info@lefroybrooks.co.uk

CUSTOMER SERVICE, SPARES & TECHNICAL ENQUIRIES

+44 (0)1902 390 894

technical@lefroybrooks.co.uk

LEFROYBROOKS.CO.UK

Whilst every effort is made to ensure the accuracy of these, they are subject to change without notice as part of the company's product development process. The use of trademarks, product design and artwork is subject to licence or agreement with LBIP Ltd. The design registrations, trademark registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited. The right to modify designs and dimensions is reserved. LBIP Ltd is a member of ACID (Anti Copying in Design). E&OE